

# UNITED STATES PATENT AND TRADEMARK OFFICE

ENITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/650,162	08/28/2003	Isao Sakurai	6667/28	7065
75? 75	90 02/22/2005		EXAMINER	
BRINKS HOFER GILSON & LIONE			NORDMEYER. PATRICIA L	
P.O. BOX 10395 CHICAGO, IL 60610			ART UNIT	PAPER NUMBER
			1772	1772
			DATE MAIL CD. 02 22 2004	<u>-</u>

Please find below and/or attached an Office communication concerning this application or proceeding.

		11/					
	Application No.	Applicant(s)					
Office Action Commence	10/650,162	SAKURAI ET AL.					
Office Action Summary	Examiner	Art Unit					
	Patricia L. Nordmeyer	1772					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timed within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on							
2a) ☐ This action is <b>FINAL</b> . 2b) ☒ This	action is non-final.						
3) Since this application is in condition for allowar	<u> </u>						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims	·						
4)⊠ Claim(s) <u>1-15</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) 1-15 is/are rejected.							
7)⊠ Claim(s) <u>6</u> is/are objected to.	<u> </u>						
8) Claim(s) are subject to restriction and/or	Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Ex							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage					
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Notice of Draftsperson's Patent Drawing Review (PTO-948)  Paper No(s)/Mail Date  Notice of Informal Patent Application (PTO-152)							
Paper No(s)/Mail Date 12/03, 8/04.  9   Other:							

Application/Control Number: 10/650,162 Page 3

Art Unit: 1772

Kondo discloses a pressure sensitive adhesive article (Page 1, Paragraph 002) with a pressure sensitive adhesive layer (Page 2, Paragraph 0024, line 3) mainly formed of polyurethane resin (Page 2, Paragraph 0031, line 5) and a releasing agent layer mainly formed of polyolefin resin adhered to the pressure sensitive layer (Page 4, Paragraph 0047) with a tension of less than 5N/25 mm or less (Page 3, Paragraph 0045, lines 6-9) as stated in claims 1, 2 and 3. With regard to claim 4, the article contains a base material on which the pressure sensitive adhesive layer is provided (Page 2, Paragraph 0024, line 2) and a release sheet including a release sheet material on which the releasing agent layer is provided, the release sheet being removably attached to the pressure sensitive adhesive layer of the pressure sensitive adhesive sheet through the releasing agent layer (Page 3, Paragraph 46). The pressure sensitive adhesive layer contains silicone compound wherein the content is less than 500 g/m<sup>2</sup> (Page 3, Paragraph 0040) as in claim 5, and the base material of the pressure sensitive adhesive sheet is formed from a plastic film (Page 3, Paragraph 0047) as in claim 8. However, Kondo fails to disclose a wet tension test defined by JIS K 6768, the polyolefin resin having a density of equal to or less than 0.94 g/cm<sup>3</sup>, the amount of the gas generated from the pressure sensitive adhesive sheet is equal to or less than 20 mg/m<sup>2</sup>, the pressure sensitive adhesive sheet contains ions from a select group in an amount equal to or less than 20 mg/m<sup>2</sup>, an antistatic layer provided on one or both of the surfaces of the base material and wherein the pressure sensitive adhesive article is a pressure sensitive adhesive tape which comprises a base material having both surfaces, the pressure sensitive adhesive layer provided on one of the surfaces of the base material and the releasing agent layer provided on the other surface of the base material, wherein the pressure sensitive adhesive tape being wound in a roll form until it is used.

Application/Control Number: 10/650,162 Page 2

Art Unit: 1772

## **DETAILED ACTION**

### Information Disclosure Statement

1. The information disclosure statement filed December 1, 2003 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered.

## Claim Objections

2. Claim 6 is objected to because of the following informalities: Claim 6 contains the language "the pressure sensitive sheet may generate a gas at a temperature of 85C for 30 minutes". This is not a positive limitation since the claim language uses the term "may", which means that the limitation may or may not occur. Appropriate correction is required.

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kondo
   (USPG Pub 2002/0192462) in view of Shikinami et al. (USPN 4,855,077).

Application/Control Number: 10/650,162

Art Unit: 1772

Shikinami et al. teaches an antistatic layer provided on one or both of the surfaces of the base material (Column 4, lines 62-64) in combination with ions from a select group in an amount equal to or less than  $20 \text{ mg/m}^2$  (Column 13, lines 10-26) in a pressure sensitive adhesive article, wherein the article is a pressure sensitive adhesive tape which comprises a base material having both surfaces, the pressure sensitive adhesive layer provided on one of the surfaces of the base material and the releasing agent layer provided on the other surface of the base material, wherein the pressure sensitive adhesive tape being wound in a roll form until it is used (Column 4, lines 57-58) for the purpose of using the adhesive material as a sticking agent for sticking tapes having an antistatic sticking layer in the fields of industry, agriculture, packaging and electronics (Column 1, lines 30-33).

It would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to have provided the ions from the select group, an antistatic layer and a tape in a rolled form in Kondo in order to have a adhesive material as a sticking agent for sticking tapes having an antistatic sticking layer in the fields of industry, agriculture, packaging and electronics as taught by Shikinami et al.

In regards to the limitations of a wet tension test defined by JIS K 6768, the polyolefin resin having a density of equal to or less than  $0.94 \text{ g/cm}^3$ , the amount of the gas generated from the pressure sensitive adhesive sheet is equal to or less than  $20 \text{ mg/m}^2$  in claims 1 - 3, 6, 12 and 15, one of ordinary skill in the art would have recognized the claimed pressure sensitive article would have a wet tension test defined by JIS K 6768, the polyolefin resin having a density of

Application/Control Number: 10/650,162 Page 5

Art Unit: 1772

equal to or less than 0.94 g/cm<sup>3</sup>, the amount of the gas generated from the pressure sensitive adhesive sheet is equal to or less than 20 mg/m<sup>2</sup> since both Kondo and Shikinami et al. teach a pressure sensitive article having the same parameters as the claimed invention. Therefore, one of ordinary skill in the art would readily determine the tension, density and amount of gas generated depending on the end desired results in the absence of unexpected results.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia L. Nordmeyer whose telephone number is (571) 272-1496. The examiner can normally be reached on Mon.-Thurs. from 7:00-4:30 & alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Y. Pyon can be reached on (571) 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patricia L. Nordmeyer Examiner

Art Unit 1772

plu

HAROLD PYON
SUPERVISORY PATENT EXAMINER

2/18/05